

MASTERPIECE[®] TIGHT'N'UP™ LIQUID CANVAS RETENSIONER

Version 0.1	Revision Date 05/22/2015			
SECTION 1. PRODUCT AND COM	SECTION 1. PRODUCT AND COMPANY IDENTIFICATION			
Product Name Product Codes for different si	: Masterpiece [®] Artist Canvas Liquid Tight'n'Up [™] Retensioner zes : 9880, 9881, 9870, 9877, 9871, 9872, 9883			
Manufacturer or suppliers's o	details			
Company	: Masterpiece Artist Canvas, Ilc			
Address	: 826 Orange Avenue San Diego, CA 92118			
Telephone	: 619-710-2500			
Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300 Recommended use of the chemical and restrictions on use				
			Recommended use	: Water based adhesive
Restrictions on use	: For industrial use only.			

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	blue
Odor	ammoniacal

GHS Classification

Eye	irritation
-----	------------

: Category 2A

GHS Label element

Hazard pictograms



Signal Word

Hazard Statements:

H319 Causes serious eye irritation.

Precautionary Statements:

Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. **Response:** P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

Potential Health Effects



MASTERPIECE[®] TIGHT'N'UP™ LIQUID CANVAS RETENSIONER

Version 0.1	Revision Date 05/22/2015
Carcinogenicity:	
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration [%]
docusate sodium	577-11-7	1 - 5

SECTION 4. FIRST AID MEASURES

General advice	:	Show this material safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	:	Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	 Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: none
Specific hazards during fire fighting	: Cool closed containers exposed to fire with water spray.
Specific extinguishing	:



MASTERPIECE[®] TIGHT'N'UP™ LIQUID CANVAS RETENSIONER

Version 0.1	Revision Date 05/22/2015
	This product is an aqueous mixture that will not burn. Dried product film will burn in a fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	No special environmental precautions required. Prevent product from entering drains.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: No special precautions are needed in handling this material.
Conditions for safe storage	: Keep container closed when not in use. Keep in a dry, cool place.
Materials to avoid	: Do not freeze. No special restrictions on storage with other products.
Storage temperature	: >= 40 °F

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment	nt
Respiratory protection	 No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection Material Remarks	 Nitrile rubber For prolonged or repeated contact use protective gloves.
Eye protection	: Safety glasses
Protective measures	: No special protective equipment required.



MASTERPIECE[®] TIGHT'N'UP[™] LIQUID CANVAS RETENSIONER

Version 0.1

Revision Date 05/22/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: liquid : blue : ammoniacal : No data available
рН	: 7.0 - 8.0
Melting point/freezing point	: 32 °F
Boiling point/boiling range	: 212 °F
Flash point Evaporation rate Flammability (solid, gas)	 Not applicable not determined Not classified as a flammability hazard
Upper explosion limit	: upper flammability limit not determined
Lower explosion limit	: lower flammability limit not determined
Vapor pressure	: not determined
Relative vapor density	: not determined
Density Solubility(ies)	: 8.700 - 8.900 lb/gal
Water solubility	: dispersible
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: not determined
Viscosity Viscosity, dynamic Solid Content, % by weight:	: 10 - 2,000 cP : 34 - 38

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions Hazardous decomposition products	: Hazardous polymerization does not occur.
	: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION



MASTERPIECE [®] TIGHT'N'UP™ LIQUID CANVAS RETENSIONER		
Version 0.1	Revision Date 05/22/2015	
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Ingredients:		
docusate sodium: Acute dermal toxicity	: LD50 Dermal rabbit: 10,000 mg/kg	
Skin corrosion/irritation		
No data available		
Serious eye damage/eye irritat	ion	
No data available		
Respiratory or skin sensitization	on	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT-single exposure		
No data available		
STOT-repeated exposure		
No data available		
Aspiration toxicity		
No data available		
SECTION 12. ECOLOGICAL INI	FORMATION	

Ecotoxicity

Ingredients: docusate sodium :

 Toxicity to fish
 LC50 (Oncorhynchus mykiss (rainbow trout)): 20 - 40 mg/l Exposure time: 96 h Test Method: semi-static test
 Toxicity to daphnia and other aquatic invertebrates
 EC50 (Daphnia magna (Water flea)): 36 mg/l Exposure time: 48 h Test Method: static test



MASTERPIECE[®] TIGHT'N'UP[™] LIQUID CANVAS RETENSIONER

Version 0.1

Revision Date 05/22/2015

Persistence and degradability

No data available Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	 To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements. The hazard and precautionary statements displayed on the
	label also apply to any residues left in the container.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Remarks

: Not dangerous goods

Domestic regulation

International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.




MASTERPIECE [®] TIGHT'N'UP™ LIQUID CANVAS RETENSIONER				
Version 0.1	Revision Date 05/22/2015			
SARA 313	SARA 313: This product does not contain any chemical components that exceed the reporting threshold.			
Clean Air Act				
This product does not contain a Air Act Section 12 (40 CFR 61)	ny hazardous air pollutants (HAP), as defined by the U.S. Clean			
US State Regulations				
California Prop 65	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.			
The ingredients of this product are reported in the following inventories:				
TSCA	On TSCA Inventory			
DSL REACH	All components of this product are on the Canadian DSL. Not in compliance with the inventory			
AICS	Not in compliance with the inventory			
NZIOC	Not in compliance with the inventory			
ENCS	Not in compliance with the inventory			
KECI	Not in compliance with the inventory			
PICCS	Not in compliance with the inventory			
IECSC	Not in compliance with the inventory			
TWINV	Not in compliance with the inventory			
	A), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC KECI (Korea), PICCS (Philippines), IECSC (China), TWINV			

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com







The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.